



# CHEVRON

Collection

**HRG**  
HERALGI

[www.heralgi.com](http://www.heralgi.com)

# CHEVRON

Collection

La línea recta es monótona, Chevron llega para romper con dicha monotonía y aportar dinamismo y riqueza compositiva, alternando la sencillez con el movimiento inherente a la forma en zig-zag.


Colores suaves e integrados otorgan a la colección gran elegancia, de igual forma que las volumetrías generadas aportan originalidad.

Straight line is monotonous by nature. Chevron comes to break with this monotony and provide dynamism and compositive richness, alternating simplicity and the movement coming from the zig-zag line.

Soft and integrated colours add elegance and finesse to the collection. Similarly, the volumetry is adding freshness and originality.




# CHEVRON



Chevron {Pg.4}


Pasta Blanca / White Body Brillo / Gloss

13x25cm / 5"x10" Relieve / Relief




Pasta Blanca / White Body Brillo / Gloss

6x12cm / 2 1/2"x5" Relieve / Relief




Pasta Blanca / White Body Brillo / Gloss

12,2x24,2cm / 5"x10" Relieve / Relief



# CHEVRON




Chevron Quartino {Pg.9}, Chevron R Finish {Pg.7}  
Chevron L Finish {Pg.7}, Chevron {Pg.6}  
Pencil Chevron {Pg.9}, Chevron Field Tile {Pg.9}



Pasta Blanca / White Body Brillo / Gloss

13x25cm / 5"x10"




Pasta Blanca / White Body Brillo / Gloss

6x12cm / 2 1/2"x5"



Pasta Blanca / White Body Brillo / Gloss

12,2x24,2cm / 5"x10"






# CHEVRON

Chevron [Pg.6], Chevron Pencil [Pg.9], Chevron Field Tile [Pg.9]




Pasta Blanca / White Body Brillo / Gloss


1,4x25cm / 1/2"x10" Relieve / Relief




Chevron Quartino Beryl [P1]



Chevron Quartino Quartz [P1]




Chevron Quartino Moonstone [P1]




Chevron Quartino Hematite [P1]

Pasta Blanca / White Body Brillo / Gloss


2x25cm / 3/4"x10" Relieve / Relief




Chevron Pencil Beryl [P1]



Chevron Pencil Quartz [P1]




Chevron Pencil Moonstone [P1]




Chevron Pencil Hematite [P1]

Pasta Blanca / White Body Brillo / Gloss


8x25cm / 3"x10" Relieve / Relief




Chevron Field Tile Beryl [G9]



Chevron Field Tile Quartz [G9]



Chevron Field Tile Moonstone [G9]



Chevron Field Tile Hematite [G9]



# CHEVRON



Chevron {Pg.6}, Chevron Mosaic {Pg.7}



Chevron Quartino {Pg.9}, Chevron R Finish {Pg.7}, Chevron L Finish {Pg.7},  
Chevron {Pg.6}, Pencil Chevron {Pg.9}, Chevron Field Tile {Pg.9}



Chevron Quartino {Pg.9}, Pencil Chevron {Pg.9}, 3D R Finish Chevron {Pg.5},  
3D L Finish Chevron {Pg.5}, 3D Chevron {Pg.4}, Chevron Field Tile {Pg.9}





# CHEVRON





# CHEVRON

     
Chevron (Pg.4), 3D Chevron (Pg.6)

     
3D Chevron (Pg.4)


     
3D Chevron (Pg.4)






# CHEVRON


Field Tile Pencil L Finish  
R Finish Chevron




Field Tile Pencil 3D L Finish  
3D R Finish 3D Chevron




Mosaic 3D Chevron




Chevron 3D Chevron




Field Tile L Finish  
R Finish Chevron 3D Mosaic




Quartino Field Tile Pencil  
L Finish R Finish Chevron




Field Tile Pencil L Finish  
R Finish Chevron 3D Chevron




Field Tile L Finish R Finish  
3D Chevron Chevron 3D Mosaic  
Mosaic




Field Tile L Finish  
R Finish 3D Chevron Chevron




Quartino Field Tile Pencil  
L Finish R Finish Chevron  
3D Chevron 3D Mosaic



Field Tile Pencil L Finish  
R Finish 3D L Finish 3D R Finish  
Chevron 3D Chevron



Quartino Field Tile Pencil  
L Finish R Finish Chevron





### Lista de Packing / Packing list

### Simbología / Symbols

| Modelo<br>Item | Referencia<br>Reference  | Lista de packing / Packing list |                           |                       |                           |                            |  |                |
|----------------|--|---------------------------------|---------------------------|-----------------------|---------------------------|----------------------------|--|----------------|
|                |  | Piezas /m²<br>Pieces/m²         | Piezas/caja<br>Pieces/box | m² / caja<br>m² / box | caja/pallet<br>box/pallet | m² / pallet<br>m² / pallet | peso pallet (kg)<br>pallet weight (kg) | Grupo<br>Group |
|                | Chevron Field Tile<br>(Moonstone, Beryl, Quartz,<br>Hematite)  | 50                              | 21                        | 0,42                  | 112                       | 47,04                      | 715                                    | G9             |
|                | 3D Chevron<br>(Moonstone, Beryl, Quartz,<br>Hematite)          | 59,28                           | 10                        | 0,17                  | 84                        | 14,17                      | 320                                    | G23            |
|                | 3D R Finish Chevron<br>(Moonstone, Beryl, Quartz,<br>Hematite) | -                               | 40                        | -                     | 196                       | -                          | -                                      | P4             |
|                | 3D L Finish Chevron<br>(Moonstone, Beryl, Quartz,<br>Hematite) | -                               | 40                        | -                     | 196                       | -                          | -                                      | P4             |
|                | 3D Mosaic Chevron<br>(Moonstone, Beryl, Quartz,<br>Hematite)   | -                               | 40                        | -                     | 84                        | -                          | -                                      | P10            |
|                | Chevron<br>(Moonstone, Beryl, Quartz,<br>Hematite)             | 59,28                           | 15                        | 0,25                  | 84                        | 21,26                      | 360                                    | G21            |
|                | Chevron R Finish<br>Moonstone, Beryl, Quartz,<br>Hematite)     | -                               | 56                        | -                     | 196                       | -                          | -                                      | P2             |
|                | Chevron L Finish<br>(Moonstone, Beryl, Quartz,<br>Hematite)    | -                               | 56                        | -                     | 196                       | -                          | -                                      | P2             |
|                | Chevron Mosaic<br>(Moonstone, Beryl, Quartz,<br>Hematite)      | -                               | 15                        | -                     | 84                        | -                          | -                                      | P8             |
|                | Chevron Pencil<br>(Moonstone, Beryl, Quartz,<br>Hematite)      | -                               | 90                        | -                     | 112                       | -                          | -                                      | P1             |
|                | Chevron Quartino<br>(Moonstone, Beryl, Quartz,<br>Hematite)    | -                               | 60                        | -                     | 112                       | -                          | -                                      | P1             |

Pasta Blanca / White Body

Brillo / Gloss

Relieve en la pieza/ Relief in piece

Revestimiento / Wall tiles

### PASTA BLANCA / WHITE BODY

| Características técnicas de la base / Technical characteristics of the wall |  |                       |   |                               |  |                  |
|---|--|-----------------------|---|-------------------------------|--|------------------|
| Especificaciones técnicas<br>Technical specifications                       |  | Norma<br>Iso standard | Resultados<br>Results   |                               | Requisitos / Requirements<br>ISO 13006: 2012 Anexo/Annex L<br>EN 14411: 2016 Anexo/Annex L |                  |
|   | <b>Características Dimensionales<br/>Dimensions</b>  | ISO 10545-2           | Varios / Various  |                               | N≥15cm   |                  |
|   |  |                       | Longitud / Length   | Anchura / Width               |  |                  |
|   | Sobre la medida de fabricación<br>From work size   |                       | 0,00%, 0,0mm / 0,12%, 0,3mm   | -0,12%, -0,1mm / 0,37%, 0,3mm | ±0,5% / ±2,0mm   |                  |
|   | Rectitud de los lados<br>Straightness of the sides   |                       | -0,04%, -0,1mm / 0,04%, 0,1mm   | 0,00%, 0,0mm / 0,00%, 0,0mm   | ±0,3% / ±1,5mm   |                  |
|   | Ortogonalidad<br>Rectangularity  |                       | -0,16%, -0,4mm / 0,16%, 0,4mm   | -0,12%, -0,1mm / 0,12%, 0,1mm | ±0,5% / ±2,0mm   |                  |
|   | Curvatura lateral<br>Edge curvature  |                       | -0,20%, -0,5mm / 0,00%, 0,0mm   | 0,00%, 0,0mm / 0,00%, 0,0mm   | -0,3/+0,5 % / -1,5/+2,0mm  |                  |
|   | Curvatura central<br>Centre curvature  |                       | -0,19%, -0,5mm / 0,00%, 0,0mm   |                               | -0,3/+0,5 % / -1,5/+2,0mm  |                  |
|   | Del alabeo<br>From warpage   |                       | -0,04%, -0,1mm / 0,04%, 0,1mm   |                               | ±0,5% / ±2,0mm   |                  |
| Grosor<br>Thickness   | 0,00%, 0,0mm / 1,25%, 0,1mm  |                       | ±10% / ±0,5mm   |                               |  |                  |
|   | <b>Absorción de agua<br/>Water absorption</b>  | ISO 10545-3           | E=18,0% mín 17,3%   |                               | E>10% mín 9%   |                  |
|   | <b>Resistencia a la flexión<br/>Modulus of rupture</b>                                       | ISO 10545-4           | e ≥ 7,5mm   |                               | e ≥ 7,5mm  | e < 7,5mm        |
|   | Fuerza de rotura<br>Breaking strength  |                       | 860N  |                               | ≥600N  | ≥200N            |
|   | Resistencia a la flexión<br>Modulus of rupture   |                       | Media=21 N/mm² Mín=19 N/mm²   |                               | Media ≥ 12 N/mm²   | Media ≥ 15 N/mm² |
|   | <b>Resistencia al choque térmico<br/>Resistance to thermal shock</b>                         | ISO 10545-9           | Resistente / Resistant  |                               | Valor declarado / Declared value   |                  |
|   | <b>Coefficiente térmico de dilatación lineal<br/>Thermal coefficient of linear expansion</b> | ISO 10545-8           | 5,9 x 10 <sup>-6</sup> °K <sup>-1</sup>   |                               | Valor declarado / Declared value   |                  |
|   | <b>Resistencia al cuarteo<br/>Crazing resistance</b>   | ISO 10545-11          | Resistente / Resistant  |                               | Exigido / Required   |                  |
|   | <b>Resistencia química<br/>Chemical resistance</b>   | ISO 10545-13          | Productos domésticos y aditivos piscinas<br>Household chemicals and swimming pool salts |                               | Min GB   |                  |
|   |  |                       | Ácidos y bases baja concentración<br>Low concentration of acids and alkalis             |                               | Valor declarado / Declared value   |                  |
|   | <b>Resistencia al manchado<br/>Stain resistance</b>  | ISO 10545-14          | 5   |                               | Min 3  |                  |
|   | <b>Calidad de la superficie<br/>Surface quality</b>  | ISO 10545-2           | 100%  |                               | ≥95%   |                  |



# HRG

---

## HERALGI

📍 Camí del palmeral s/n 12200 Onda (Castellón)

✉ [info@heralgi.com](mailto:info@heralgi.com)